

????????????? ???????? LW26-20 YH5/3 20A 3 ???????



?????????: ??? ?????????????? ??????

?????

????? ??? ?? ??? 17,98 €

???? ? ? ?????? 14,50 €

???? ??????? ? ? ???????

???? ?????? 17,98 €

???? ?????? ?????? ??? 14,50 €

????????? ??? 3,48 €

[?????? ??? ?? ??????](#)

?????????????[Elmark](#)

???????????

**Technical characteristics:**

- Power supply voltage: 230/400V, 50Hz
- Number of levels: 3
- Number of positions: 7
- Insulation voltage: 690V
- Impulse voltage withstand: 6000V
- Mechanical wear resistance: 3?105 commutation cycles
- Operating temperature: -10°? - +50°?
- Humidity: 35-85%RH
- Commutation capacity: 20?
- Resistant to UV rays plastic
- Cable connection: screw joining
- Tightening torque of the bolt: 1.33Nm
- Maximum section of the power supply conductors: 2.5mm<sup>2</sup>

**Mounting:**

- Directly to the control panel
- Thickness of the surface: max 5mm

**Standards:** EN 60947-1; EN 60947-3-1

???????????: ?????? ??????????: **base\_uom/descry** ?????: E1 ??????????: E174 ??????: 3+2 Three years standard + two years extended

?????? ??????????: IP42

?????????? ??????: 20A

?????: ELMARK

?????? ??????????: 3

?????? ??????????: 3

?????: 3+2

M?????: LW26

?????: 7